



# Electrolux

## Standard Preparation 700 mm Sink with 1 Bowl

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



Electrolux



Standard Preparation  
700 mm Sink with 1 Bowl

132340 (LG716P)

Sink unit with 1 bowl  
600x500mm, 700mm

### Short Form Specification

**Item No.** \_\_\_\_\_

Made from 304 AISI stainless steel. The 50mm high worktop in 304 AISI stainless steel, 1mm in thickness, is sound-deadened and has an overflow rim and welded corners. Integral rear upstand, h=100mm, with 8mm radius. All-round apron. Square section legs 40x40mm on 1" height-adjustable feet (+/-20mm)

Bowl mm500x500x300h with overflow pipe and 2"drain hole.

### Main Features

- Model complies with international hygiene and cleanability standards.

### Construction



- 50 mm worktop in 304 AISI stainless steel, 10/10 in thickness with overflow rim along the top.
- Sink bowl in 304 AISI stainless steel, supplied with overflow drain pipe and drain hole.
- 100 mm upstand with 8 mm radiused corner and 13 mm deep, designed to be used against a wall.
- Square section legs and 40 mm height-adjustable feet in 304 AISI stainless steel.
- Sink tops easily slotted onto the legs and taps are easily installed from the rear.
- Accessories available on request: lower shelf, tap unit, false bowl bottom, overflow filter, single or double syphons.

### Optional Accessories


- Elbow operated mixer tap 3/4" PNC 855302
- Elbow operated tap with spray arm and spout PNC 855304
- Mixer tap with spray, spout, short lever and thermostat, double hole PNC 855307
- Wall mixer tap with swivel spout 3/4" PNC 855310
- Mixer tap with spray arm 3/4" PNC 855311
- Prewash spray unit, single hole PNC 855315
- Mixer tap with spout, foot pedal operated for sinks on legs PNC 855317
- Mixer tap with swivel spout 3/4", single hole PNC 855319
- Elbow operated mixer tap with spout 3/4", single hole PNC 855322
- Elbow operated tap with spray arm and spout, single hole PNC 855324
- Infrared mixer tap with spout 3/4", single hole PNC 855325
- HD mixer tap with spray arm 3/4", single hole PNC 855326
- Foot operated mixer tap (hot and cold) with spout 3/4" PNC 855328
- Mixer tap with spray and spout 3/4", single hole PNC 855329
- Lower shelf for 700mm sink on legs PNC 855340
- Overflow filter for 500x500mm bowl for Standard range PNC 895136
- False bottom for left hand 500x500mm bowl for Standard range PNC 895210

APPROVAL: \_\_\_\_\_

- Single plastic drain syphon 2" for sinks  PNC 895313
- Single brass drain syphon 2" for sinks  PNC 895314

**Front**

**Top**


D = Drain  
EQ = Equipotential screw

**Side**

**Key Information:**

<b>External dimensions, Height:</b>	
132340 (LG716P)	1000 mm
<b>External dimensions, Width:</b>	700 mm
<b>External dimensions, Depth:</b>	700 mm
<b>Upstand Dimensions, Height:</b>	100 mm
<b>Upstand Dimensions, Depth:</b>	13 mm
<b>Upstand Dimensions, Radius:</b>	R=8 mm
<b>Bowls number</b>	1
<b>Bowl dimensions</b>	500x500xH300
<b>Worktop thickness:</b>	50 mm
<b>Net weight:</b>	20 kg