



Electrolux

Standard Preparation 1400 mm Cupboard Sink with 2 Bowls

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



Electrolux



Standard Preparation

1400 mm Cupboard Sink with 2 Bowls

132707 (MLA1426P)

Cupboard sink with 2 bowls
600x500mm and 2 sliding
doors, 1400mm

Short Form Specification

Item No. _____

Made entirely from stainless steel. Inner welded frame in stainless steel. Unique connection of panels to inner frame. The 50mm high worktop in 304 AISI stainless steel, 1mm in thickness, incorporates a layer of sound deadening material and has upturned edges. Upstand (h=100mm) with 8mm rounded edge. Sound-deadened sliding doors. Base panel in 304 AISI stainless steel and height-adjustable intermediate shelf. Sink bowls in 304 AISI stainless steel with overflow pipe and drain hole. Mounted on feet, adjustable in height.

Main Features

- Model complies with international hygiene and cleanability standards.

Construction

- Inner welded frame in stainless steel to guarantee superior strength and stability.
- Easy access to the cupboard interior on all lengths guaranteed by the use of only 2 doors.
- Sink bowl in 304 AISI stainless steel, supplied with overflow drain pipe and drain hole.
- 50 mm worktop in 304 AISI stainless steel with upturned edges, incorporates an 18 mm layer of sound deadening material.
- Reinforced side and base panel in 304 AISI stainless steel.
- 100 mm upstand with 8 mm radiused corner and 13 mm deep, designed to be used against a wall.
- All edges are upturned for better safety.
- 304 AISI stainless steel feet, 200 mm high and 54 mm in diameter, adjustable by -50/+30 mm.
- Sturdy sound-deadened sliding doors on tracks located flush to the front of the frame.
- Heavy duty Stainless steel construction.

Optional Accessories

- Double plastic drain syphon 2 " for sinks PNC 850022
- Mixer tap with spray, spout, short lever and thermostat, double hole PNC 855307
- Wall mixer tap with swivel spout 3/4" PNC 855310
- Prewash spray unit, single hole PNC 855315
- Mixer tap with spout, foot pedal operated for sinks on legs PNC 855317
- Mixer tap with swivel spout 3/4", single hole PNC 855319
- Elbow operated mixer tap with spout 3/4", single hole PNC 855322
- Elbow operated tap with spray arm and spout, single hole PNC 855324
- Infrared mixer tap with spout 3/4", single hole PNC 855325
- HD mixer tap with spray arm 3/4", single hole PNC 855326
- Foot operated mixer tap (hot and cold) with spout 3/4" PNC 855328
- False bottom for right hand 600x500mm bowl PNC 895100
- False bottom for left hand 600x500mm bowl PNC 895110
- Overflow filter for 600x500mm bowl PNC 895135
- Single plastic drain syphon 2 " for sinks PNC 895313

APPROVAL: _____

Key Information:

Cabinet width:		
132707 (MLA1426P)	1310 mm	
Cabinet depth:	645 mm	
Cabinet height:	330 mm	
External dimensions, Height:	1000 mm	
External dimensions, Width:	1400 mm	
External dimensions, Depth:	700 mm	
Upstand Dimensions, Height:	100 mm	
Upstand Dimensions, Depth:	13 mm	
Upstand Dimensions, Radius:	R=8 mm	
Bowls number	2	
Bowl dimensions	600x500xH300	
Number and type of doors:	2Sliding	
Worktop thickness:	50 mm	
Net weight:	60 kg	

