



Electrolux

Standard Preparation 2800 mm Sink with 2 Bowls & 2 Drains

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



Electrolux



Standard Preparation

2800 mm Sink with 2 Bowls & 2 Drains

132365 (LG2826P)

Sink unit with 2 bowls
600x500mm and 2 drainers,
2800mm

Short Form Specification

Item No.

Made from 304 AISI stainless steel. The 50mm high worktop in 304 AISI stainless steel, 1mm in thickness, is sound-deadened and has an overflow rim and welded corners. Integral rear upstand, h=100mm, with 8mm radius. All-round apron. Square section legs 40x40mm on 1" height-adjustable feet (+/-20mm)

N. 2 bowls mm600x500x300h with overflow pipe and 2" drain hole; N. 2 drainers.

Main Features

- Model complies with international hygiene and cleanability standards.

Construction

- 50 mm worktop in 304 AISI stainless steel, 10/10 in thickness with overflow rim along the top.
- Sink bowl in 304 AISI stainless steel, supplied with overflow drain pipe and drain hole.
- 100 mm upstand with 8 mm radiused corner and 13 mm deep, designed to be used against a wall.
- Square section legs and 40 mm height-adjustable feet in 304 AISI stainless steel.
- Sink tops easily slotted onto the legs and taps are easily installed from the rear.
- Accessories available on request: lower shelf, tap unit, false bowl bottom, overflow filter, single or double syphons.

Optional Accessories

- Double plastic drain syphon 2" for sinks PNC 850022
- Prewash spray unit, single hole PNC 855315
- Mixer tap with spout, foot pedal operated for sinks on legs PNC 855317
- Mixer tap with swivel spout 3/4", single hole PNC 855319
- Maxi reel retractable hose spray unit, 10m PNC 855320
- Maxi reel retractable hose spray unit, 15m PNC 855321
- Elbow operated mixer tap with spout 3/4", single hole PNC 855322
- Elbow operated tap with spray arm and spout, single hole PNC 855324
- Infrared mixer tap with spout 3/4", single hole PNC 855325
- HD mixer tap with spray arm 3/4", single hole PNC 855326
- Maxi reel retractable hose spray unit, 6m PNC 855327
- Foot operated mixer tap (hot and cold) with spout 3/4" PNC 855328
- Mixer tap with spray and spout 3/4", single hole PNC 855329
- Lower shelf for 2800mm sink on legs PNC 855358
- False bottom for right hand 600x500mm bowl PNC 895100
- False bottom for left hand 600x500mm bowl PNC 895110
- Overflow filter for 600x500mm bowl PNC 895135
- Single plastic drain syphon 2" for sinks PNC 895313

APPROVAL: _____



Electrolux

**Standard Preparation
2800 mm Sink with 2 Bowls & 2
Drains**


- Single brass drain syphon 2" for sinks PNC 895314
□



**Standard Preparation
2800 mm Sink with 2 Bowls & 2 Drains**

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2016.05.23



Key Information:

External dimensions, Height:		
132365 (LG2826P)	1000 mm	
External dimensions, Width:	2800 mm	
External dimensions, Depth:	700 mm	
Upstand Dimensions, Height:	100 mm	
Upstand Dimensions, Depth:	13 mm	
Upstand Dimensions, Radius:	R=8	
Bowls number	2	
Bowl dimensions	600x500xH300	
Worktop thickness:	50 mm	
Net weight:	75 kg	